

# STONES SOUND STUDIO

ISSUE V2 28 OCT 07



P1

260\_02b MAIN PLANS #.dcd


260 260c ENCLOSURE NOTES	
<b>DRIVERS</b> Peerless Nomex 832873 5" X 2 Fountek JP3.0 Ribbon 3" X 1	<b>PORT</b> (Lp)=126 mm (Dia)=63mm ( Internal) Port pipe = 65 mm DWV Roundover both ends 6.25mm
<b>ENCLOSURE</b> MDF 18mm thick Front Baffle (2X18mm)36mm thick Mitre Join Side Panels at 45degs MDF bracing rib 18mm thick	<b>FELT DAMPING</b> Grey 6 mm acoustic under felt <b>RIBBON</b> 260C Rotate Ribbon Tweeter hole cutout 90degs clockwise

260 260C BOX DIMENSIONS			
#	INSIDE	CALCULATION	OUTSIDE
W	144	144+36=180	180
D	311	311+36+18=365	365
H	520	520+36=556	556


# INSIDE dimensions are mandatory to enable optimum volume and sound quality




FRONT





REAR VIEW




LHS SIDE VIEW




ENCLOSURE NOTES 260 260C	
<b>DRIVERS</b> Peerless Nomex 832873 5" X 2 Fountek JP3.0 Ribbon 3" X 1	<b>PORT</b> (Lp)=126 mm (Dia)=63mm ( Internal) Port pipe = 65 mm DWV Roundover both ends 6.25mm
<b>ENCLOSURE</b> MDF 18mm thick Front Baffle (2X18mm)36mm thick Mitre Join Side Panels at 45degs MDF bracing rib 18mm thick	<b>FELT DAMPING</b> Grey 6 mm acoustic under felt




FRONT




REAR VIEW




FRONT VIEW



REAR VIEW



REAR +MDF RIB



MDF BRACING RIB

FRONT & REAR VIEW REBATES